




THIS DESIGN IS THE INTELLECTUAL PROPERTY OF DREAMCATCHER BUILDING DESIGNS. IT IS NOT TO BE REPRODUCED OR REUSED WITHOUT THE EXPRESS CONSENT OF DREAMCATCHER BUILDING DESIGNS.

THIS DESIGN IS THE INTELLECTUAL PROPERTY OF DREAMCATCHER BUILDING DESIGNS. IT MAY NOT BE REPRODUCED OR RE-USED WITHOUT THE EXPRESS CONSENT OF DREAMCATCHER BUILDING DESIGNS.

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL ASPECTS OF THIS PLAN PRIOR TO THE ORDERING OF MATERIALS AND/OR START OF CONSTRUCTION.

THIS PROJECT WAS DESIGNED IN ACCORDANCE WITH THE 2014 FLORIDA BUILDING CODE, 5TH EDITION.

DESIGN WIND SPEED: 150 MPH 3-SECOND GUST
RISK CATEGORY: 2
EXPOSURE CATEGORY: C
BUILDING HEIGHT: EXISTING
BUILDING AREA: EXISTING (6,046 SQ FT UNDER ROOF)



SAMPLE ARCHITECTURAL MODIFICATION TO EXISTING HOME

Dreamcatcher Building Designs (941) 462-0110 www.dreamcatcherbuildingdesigns.com

